

INDEX

- acceptor, 79
accident, 11–12, 14–16, 18–19,
21, 115–16, 126–27
acrolein, 146, 152, 157–59,
166, 181, 183–85
acrylic, 170–71
acute exposure guideline levels.
See AEGL
adsorption, 54, 58, 60–61, 63
AEGL, 159, 161–62, 181, 183–
85
affordability, 1
agriculture, 4
air entrainment, 117–18, 126,
199, 202
aliased, 83, 87
amberlite, 48
amide, 48–54, 56–59, 61–64,
66–67, 70, 72, 74–75
amine, 48–49
ammonium bisulphite, 58
anaerobic, 80
analysis, 3, 31, 48–51, 62–67,
111–13, 135, 178–79, 181,
183, 201–02
analysis of variances, 83
angle, 25
anion, 60
anode, 78–81, 94–96
anodic, 47, 79
anticorrosion, 48
aramid, 100–01, 109
arrangement, 26, 82–83, 151,
175–76
ASEAN, 4
assess, 24, 26, 147–48, 152,
157, 175–76, 198
asset, 12–15, 19, 21, 23, 115
Association of Southeast Asian
Nations. *See* ASEAN
assumption, 29, 84, 194
assurance, 15, 23
axial, 82

backflow, 29, 174, 191
barrier-based system, 13
bent, 100
benzene, 156–58, 181, 183,
185
bioelectrochemical system, 78
biofilm, 81, 97
biological, 78–79, 84, 88, 93
BLEVE, 117, 126, 132
block, 82, 149

- blockage, 14
- boiler, 14, 23
- boiling liquid expanding
vapour explosion. *See*
BLEVE
- boundary, 27, 29, 94, 131
- buoyant, 131, 189–90, 195,
198–99, 201
- butadiene, 99
- butane, 99, 102
- butylene, 99

- calibrate, 152
- calomel, 52
- calorific value, 122, 125, 173
- calorimeter, 147–48, 150–51,
155, 167, 169–70, 173–78,
187
- carbohydrazide, 58
- carbon, 41, 47–48, 50, 52–54,
64–67, 73–75, 77–80, 95–
96, 100–01, 106–09, 112,
148, 156, 164–65, 171–72,
181, 183, 185
- carbon steel, 30, 41, 47–48, 50,
52–54, 65–67, 73–75, 77–
80, 95–96, 100–01, 105–09,
111–12
- carboxylic acid, 49
- case, 12, 20–21, 26, 29, 32, 35,
37, 40, 42, 85, 103, 117,
126, 132, 141, 158, 164,
183, 195–96
- catalyst, 2, 48

- cathode, 77–81, 93
- cathodic, 47, 57, 74, 77, 79, 94
- chain-length, 48, 54
- chamber, 79–80, 95, 151–52,
191
- characteristic, 24, 27, 117, 125,
130, 146–47, 154, 164, 172,
174, 176–79, 198, 201
- chemical process industries,
115, 127, 143
- chimney, 174–75, 177–78
- chloride, 47, 52, 60–61, 64, 66,
71, 76, 146, 148, 156, 158–
59, 165–66
- chloride ion, 60–61
- chloride ions, 52, 76
- chloride solution, 60, 76
- climate vulnerable forum, 4, 21
- coal, 6, 8
- coating, 154
- cognitive, 171
- coke, 6, 8
- combustion, 115, 117, 125,
130, 139, 145, 147–48, 150–
52, 154, 157, 162, 164, 170–
71, 173–79, 181, 185, 187
- commercial, 4, 99, 130
- comparative, 32, 40–42
- compartment, 79–81, 96, 165
- competency, 15
- compliance, 15
- composite, 82, 100–01, 105–
06, 108–10, 178

- composition, 75, 100, 102, 106,
110–12, 145, 148, 152–53,
155, 166, 171, 173–74, 178–
79, 185
- compressible, 27
- compressor, 23
- computation, 28, 85
- computational, 24, 27, 96
- concept, 10, 27, 29, 36, 47, 78
- conductivity, 80, 100, 103,
105–06, 108–10, 112, 118
- confidence interval, 80, 86, 90–
91, 93
- conservation, 27, 190
- construction, 10, 12, 19, 47,
129, 155, 169, 171
- containment, 116, 147
- continuous, 27, 79, 84, 115,
131
- control of substances hazardous
to health. *See* COSHH
- convection, 28, 103, 104, 106–
07, 109–10
- corrosion, 13–14, 21, 47–48,
50–69, 71–79, 96, 100, 111,
147
- corrosive, 47–48, 57, 63–64,
71, 158–59
- COSHH, 155, 157–59, 161,
165, 181, 183–85
- cost, 43, 47–48, 77
- counter electrode, 52
- countermeasure, 115
- critical element, 15
- cross-linked polyethylene. *See*
XLPE
- cross-sectional area. *See* CSA
- crude oil, 6, 7, 9, 26, 29, 35,
41, 42
- CSA, 146, 154
- cubic, 83, 87
- current, 24, 52, 74, 78, 80–81,
87–94, 146–47, 157, 187
- cyclic loading, 14
- cylinder, 56, 99–10
- database, 16, 50
- death, 12, 137, 139, 156, 160
- decelerate, 25, 31, 33, 38
- defective, 13
- degradation, 14, 77, 115, 147
- deionized, 80
- demand, 2–3, 47, 101, 129
- density, 25, 27, 29, 35, 43, 80–
82, 86–95, 97, 150, 185, 200
- design, 13–15, 20, 24, 47, 79,
82, 87, 97, 146, 150, 154–
55, 166, 169
- destruction, 48, 140
- detection, 14
- deviation, 36, 86, 88–89, 93
- diameter, 24–31, 33, 36, 38–
43, 104, 120–25, 132, 136,
138, 174
- diffusion, 28, 54, 61, 92, 115,
128
- digest, 93
- discrete, 28, 84

- distribution, 47, 77, 84–86, 88–90, 93, 138, 150, 186
- domino effect, 115–16, 126, 142, 200
- downstream, 23, 191, 195, 199
- drag, 24, 26, 35, 43
- droplet, 28, 113
- duplication, 83
- ecological, 115
- economic development, 2
- effective heat of combustion. *See* EHC
- effectiveness, 26, 47, 78–79
- efficiency, 1, 19, 51, 54, 58–59, 73, 79, 164
- efficient, 2, 77, 109, 153
- EHC, 149
- elbow, 23–30, 32–43
- electric, 78, 81, 150, 167
- electricity, 4, 9, 12, 78, 94
- electrochemical, 21, 51, 59, 67, 72, 74, 76–77
- electrode, 52, 56, 78–81, 92, 94, 96–97
- electrolyte, 57, 80
- electron, 54, 57, 78, 93, 146
- elemental, 54, 147, 162
- ellipsoidal head, 104
- emergency management, 12
- emergency preparedness, 115
- emissivity, 190
- employees, 10, 11, 15
- employment of minors, 11
- emulsion, 53–56, 74–75
- energy, 1–6, 9, 12–14, 18–22, 32, 36, 136, 147, 173
- energy consumption, 2–5
- energy production, 1, 4
- environment, 12, 15, 40, 76, 79, 130, 136, 147, 160–62, 169, 190
- EPR, 145, 155, 166
- equipment, 12, 23, 48, 54, 56, 64, 115, 132, 142–43, 152, 155, 158–59, 178
- erosion, 14, 20, 23–28, 32–40, 42–43, 96
- erucamide, 50, 54
- erythorbate, 58
- estimation, 31, 40–43, 79, 85, 90, 191, 195, 200
- Ethylene Propylene Rubber. *See* EPR
- Eulerian, 27–28
- evaluate, 26, 91, 94, 141, 155, 163
- exchange, 79
- experimental, 24–25, 42, 79–80, 87–88, 119, 125, 147, 150, 152–53, 162, 165, 170, 175, 178, 191–93, 197–99, 201–02
- explosion, 14, 77, 115–17, 130, 132, 135–36, 140–41, 143
- explosive, 117
- export, 6–9

- external, 28, 40, 53, 77–79, 81,
147–48, 153, 166
- fabricate, 100
- facility, 15, 73, 130, 141
- factorial, 82
- failure, 13–15, 23–24, 116,
132, 145
- fatality, 140–41, 145, 163
- fatigue, 13–14
- fatty acid, 49–50
- fatty amide, 48–51, 53–64, 66–
68, 70–73
- fatty amin, 51
- ferrous sulphate, 60–61
- FFA, 48
- fibre, 100–01, 108–09
- film, 54, 60–61, 63, 115
- fine, 27
- fire, 77, 123, 125–27, 132,
135–47, 150–52, 154–55,
157, 159–60, 163–67, 189,
191–93, 195–96, 198–99
progression, 170
whirl, 117–18
fireball, 115, 130
- fit for service, 15
- fitting, 23–24, 26–32, 34–43
- flame, 117
height, 117–21, 123–26
retardant, 145, 166
temperature, 122
- flameout, 164
- flammable, 14, 115–16, 130,
132, 136, 138, 141–42, 191
- flange, 23
- flash fire, 115
- flowing media, 24
- fluid, 17, 23, 30, 41, 44, 103
- force, 24, 26, 28
- formaldehyde, 152, 156–58,
161, 166, 181, 183–85
- formulation, 62, 63, 72
- fossil fuel, 9
- fourier transform infrared. *See*
FTIR
- fracture, 14
- free fatty acid. *See* FFA
- FTIR, 48–49, 147–48, 150,
152–53, 155, 170, 178, 185
- fuel consumption, 5
- fume, 145
- functionality, 78, 101
- Gamry, 52, 56, 74
- gas, 1, 6, 9, 12, 41, 77, 81, 95–
96, 102, 111–12, 115–16,
129–32, 138–40, 143, 145,
148, 152, 154–55, 162–63,
166, 169, 174, 177–79, 181,
185, 191
- gas chromatography/mass
spectroscopy. *See* GCMS
- gaussian, 86, 131
- GCMS, 48–51
- GDP, 2, 3, 47
- geometric, 79, 81

- geometry, 25–26, 28, 194, 196, 198
- governance, 1
- graphical, 82, 178
- graphite, 52, 80, 82–84, 88–89, 92–94, 96
- gravity, 33, 80
- grid, 27
- gross domestic product. *See* GDP
- hazardous, 115, 127, 130, 132, 157, 160–61, 171, 181, 183
- hazards and effects
 - management process, 15
- health, 10, 11, 145, 159–60, 163, 170–71, 181, 183, 185
- health issue, 1
- heat, 14, 96, 100–10, 113, 118–20, 122–23, 125–26, 130, 137, 139–40, 145–48, 150–51, 154, 165, 169, 173, 175–76, 189–92, 194–99
- heat, 14
 - exchanger, 14, 96
 - transfer, 100, 103, 106–07, 110
- heater, 23
- heating, ventilation, and air conditioning. *See* HVAC
- hematite, 64
- heptadecanoic acid, 50
- histogram, 86, 89
- HRR, 119, 120, 123–24, 126, 145, 148, 154–55, 165–66, 169
- human life, 169
- humidity, 100, 117
- HVAC, 147
- hydraulic retention time, 79, 97
- hydrocarbon, 1, 23, 54, 117, 119–20, 145
- hydrogen, 113, 143, 146, 148, 156, 158, 162–63, 165, 166, 171, 181, 183, 185, 201
 - cyanide, 156, 158, 162–63, 181, 183, 185
- hydrolysis, 93
- hydroquinone, 58
- hypothesis, 85, 87–88
- hypoxia, 145
- ignition, 116, 119, 130, 132, 137–38, 146–48, 153–55, 159, 164, 176
- immersion, 53
- impact, 14, 27, 32, 80, 87, 117, 130–31, 135, 137–40, 147, 154, 157, 159, 163, 171, 181, 185
- impingement, 24, 28, 38, 189, 192, 195, 199
- import, 6
- impressed current cathodic protection, 78
- impurity, 80, 158
- incompressible, 27–28

- indentation, 32–33
- individual, 28, 59–60, 63, 66, 71–73
- industrial revolution, 11
- industry, 1, 4, 10, 12–13, 16, 18, 20–21, 26, 58, 77, 145, 157, 189
- inertia, 24, 26, 32, 35, 36
- inferential, 86, 90
- inflation, 27
- infrared picture contour, 191
- inhalation, 156, 170, 171, 186
- inhibition, 51–55, 58, 72–76
- inhibitor, 47–48, 50, 58–59, 61, 63, 74–75
- inlet, 27, 29, 33, 35, 81
- inner surface, 35
- instrumental, 147, 177
- insulation, 146–47, 150, 154, 159, 164, 168–69
- integrity, 12–16, 19–23, 159
- internal surface, 48
- inward, 54
- iron, 54, 63, 64, 71, 73
 - chloride, 64, 71
 - oxide, 64
 - oxides, 71
- isopropyl, 48
- iteration, 85–86, 89, 93
- jet, 115, 127, 130, 132–33, 135, 137, 141, 189–96, 198
- jet fire, 115, 130, 189
- k-epsilon, 29–30
- kerosene, 117–18, 121–24
- kinetic, 32, 36, 86–87
- lagrangian, 27–28
- laminar, 27, 56–58
- latent heat, 102
- layer, 53–54, 60, 63, 65–68, 71, 164
- legislation, 10–11, 13
- length, 29, 31, 38, 50, 80, 82, 84, 88–89, 92–94, 103, 190–91, 194, 196, 198–99
- life estimation, 31
- lifetime, 26, 31, 40, 42–43
- line source mode. *See* LSM
- linear, 51, 61, 83, 196
- linoleic acid, 50
- linoleoamide, 50
- liquefied petroleum gas. *See* LPG
- load, 13, 145
- low smoke zero halogen. *See* LSOH
- LPG, 99–13
- LSM, 189–91, 197–00
- LSOH, 146, 155–58, 166
- magnetite, 64
- magnitude, 26, 35, 79, 87, 149
- maintenance, 15, 24, 43, 77
- management, 1, 12–16, 18–19, 21, 130–31
- management of change, 1
- manufacturing, 10, 13

- marine, 76, 153, 166
- mass, 25–28, 41, 49, 57, 101, 112, 118, 120–21, 147–48, 154, 167, 178, 187, 190, 195
- material, 13–14, 23, 30, 40, 43, 47–49, 79–80, 97, 99, 169–75, 177–79, 181, 183, 185–87
- mechanical, 47, 100, 112, 146, 154
- mechanism, 79, 118, 130, 198–99
- media, 48
- membrane, 79
- mesh, 27
- meshing, 28
- metabolism, 79
- metabolize, 92
- metal, 48, 54, 57–58, 60, 63–64, 66–67, 69, 71–72, 77
- metallic, 48
- microbe, 79
- microbial fuel cell, 78
- microorganism, 79
- mining, 10
- mitigation, 14, 75, 183, 185, 186
- model, 25, 27, 79, 82–85, 87, 89, 91, 93, 96, 127, 131, 141, 189–90, 197–98
- molded, 100
- momentum, 25–27, 32–33, 36, 190, 194–95
- monte carlo, 79, 83–85, 88–89, 93, 95–97
- morphology, 63, 66–67
- moving, 52
- MPSM, 189
- multimeter, 81
- multi-point source model. *See* MPSM
- myristic acid, 50
- natural, 101
 - evaporation, 101
 - gas, 4, 6, 8–9, 129–30
- Navier–stokes, 27
- network, 47, 77
- newton’s second law, 27
- newtonian, 27
- n-heptane, 117
- nitric acid, 80
- nitrogen, 54, 64, 66, 76, 148, 152, 162, 164, 171, 183, 185
- non-permanent disability, 12
- non-renewable, 3
- normal distribution, 85–86
- objective function, 91
- occupational accident, 11–12
- offshore, 1, 12, 19–21, 130, 143, 146, 153–55, 157–58, 160–62, 165–66
- ohmic drop, 52
- oil and gas, 10, 18, 20, 21, 23, 75, 77
- oleamide, 50, 54

- oleic acid, 50
- open circuit potential, 51
- operating, 16, 18, 27, 30, 79, 97, 116, 150
- operation, 10, 12, 14, 48
- organic, 48, 78, 92, 100
- outlet, 27, 29–30, 81, 170, 177–78
- oxidation, 78, 153, 174
- oxygen, 52, 54, 57–61, 63–64, 66–68, 71–72, 74, 147, 150, 153, 162–63, 169–71, 178, 181
- painting, 47
- palm fatty acid distillate. *See* PFAD
- palmitamide, 50, 54
- palmitic acid, 50
- parameter, 24, 26–27, 29–31, 40, 43, 79, 84, 86–87, 91–94, 96–97, 106, 110, 119, 133, 147, 152, 154, 191, 201
- particle, 14, 23–26, 28–29, 31–32, 34–36, 40, 42, 139
- pattern, 24, 33, 38, 42, 132, 195
- people, 11–12, 14–15, 47, 134, 140
- performance, 12, 15–16, 20–21, 54–55, 58, 62, 74, 76, 79, 93–97, 112, 154–55, 165–67, 175, 177–79
- permanent disability, 11
- petroleum products, 6–7
- PFAD, 48–50
- pH, 74–75, 79
- phenomena, 57
- phenomenon, 14, 23–24, 26, 42–43, 58, 77
- pipe, 14, 26, 31–32, 35, 37–38, 77–78, 95, 132, 134, 138, 143, 174–75
- pipeline, 14, 19, 21, 23–24, 26–29, 31, 34–37, 39–40, 43, 47, 73–74, 77, 80–81, 96, 129–32, 134, 136–37, 139, 141, 191
- point source model. *See* PSM
- polarisation, 51, 55, 61
- policies, 1, 18–20, 146
- pollutant, 79
- polymeric compound, 145
- polynomial, 83, 87
- polystyrene, 170–71, 178–79, 183, 185
- polyurethane, 170–71, 179, 185
- polyvinyl chloride. *See* PVC
- pond, 80
- pool fire, 115–17, 119, 127, 130, 135, 139, 141
- population, 2, 3, 18, 20, 80, 86, 89–90, 93, 134, 138, 183
 - growth, 2–3
 - size, 3
- potential, 49, 51, 52, 78, 85, 99, 115–17, 130–33, 135,

- 147, 152, 155, 157–59, 161,
163, 165, 170, 174, 179,
183, 185, 189
- potentiostat, 52, 56
- power, 1, 23, 76, 77, 80–82,
86–95, 97, 129
- power, 1
 - industry, 1
 - supply, 78
- predict, 83, 90–91, 93, 198
- prediction, 24, 26, 30, 42, 43,
84, 189–91, 196–97
- pressure, 12, 14, 20, 27, 29, 40,
96, 99, 106–07, 109–10,
112, 115–16, 140, 174, 191
vessel, 14, 20, 99, 112
- presumption, 29
- prevention, 14, 117, 127
- probability, 79, 85–87, 115,
135
- process safety, 12
- production, 1, 11, 14, 23, 47–
48, 75, 95, 99, 139, 146,
162, 165, 167, 177, 187
- productivity, 12, 77
- propagation, 116, 143, 146,
154, 166
- propane, 99, 102, 143, 192
- properties, 24, 30, 47, 73, 76,
100, 111–12, 117–18, 130,
145–46, 154–55, 157, 159,
164, 178, 199
- property, 11, 115, 169
- propylene, 99
- protection, 47, 56, 59–61, 72–
74, 77, 79, 94, 167
- protective, 12, 54, 60, 63, 66,
147, 154, 164
- proton, 79
- PSM, 189
- public, 12, 99
- pump, 23, 155, 177
- PVC, 146, 153–56, 158–59,
161, 165–67
- quadratic, 83
- quality, 15
- quarrying, 10
- radiant heat, 123, 189–90, 197
- radiation, 122, 126, 130, 136–
37, 139–41, 189, 192, 200
- random, 79, 82–83, 85–86, 89–
90
- ratio, 30, 40–41, 79, 96, 191
- reaction, 48, 49, 57, 59–60, 77,
93, 116, 126, 131
- rectifier, 78
- redox, 78
- reducer, 23
- reduction, 25–26, 38, 42, 53,
62, 93, 139, 150, 166
- reference electrode, 52
- reflux, 48
- regression, 82–83
- regulation, 1, 10, 151
- reinforced, 100–01, 105–06,
108–09, 112

- reinforcement, 100
- reliability, 13, 20, 23, 93, 152
 - engineering, 13
- renewable, 4, 9, 19–20
 - energy, 4
- reserves, 9
- residential, 4, 99, 129–30, 138
- residue, 109–10
- resistance, 51, 52, 54–55, 59,
 - 61, 81, 92–93, 146, 154–55, 160, 164
- resistant, 100, 118, 154–55,
 - 157, 159, 166
- resource, 12
 - consumption, 3
- respiratory, 145, 159, 163, 171
- response, 83, 87, 95, 147, 154,
 - 176–77, 185
- reynolds, 27, 56
- risk, 12, 115, 130–31, 143,
 - 145–46, 153, 157, 159–60, 163, 170, 181, 183, 185, 186
- rotation, 53, 56–57, 62–63
- rotational, 56, 58, 63
- roughness, 64–67, 69–73, 100
- RSM, 82, 91, 93, 96
- rust, 71, 100
 - 157, 159–60, 162, 164–66, 170, 181, 183, 185
- safety and health, 1, 10
 - safety, 14
 - factor, 14
 - management system, 12
- salinity, 79
- sand, 14, 23, 26, 29–36, 38, 40,
 - 42–43, 81
- sanitary, 12
- scavenger, 58–59, 74
- selection, 31, 43, 47, 87–88,
 - 147, 154, 175, 181
- sensitivity, 79, 91–92, 96–97
- severity, 25, 28, 36
- SFM, 189
- shear, 57–58, 63, 67
- simulation, 24–26, 28–29, 42–
 - 43, 79, 83–85, 88–89, 93, 96–97, 111, 131–32, 134–35, 138, 141
- size, 3, 23–26, 32–36, 40, 42–
 - 43, 90, 97, 101, 118–20, 126, 186, 193–94
- slow-motion camera, 119
- smoke, 145, 155, 167, 169–71,
 - 176–77, 186–87
- smolder, 178
- smooth, 66
- sodium, 52, 58–64, 66, 71–72,
 - 74, 76, 81
- sodium chloride, 52, 76
- sacrificial anode cathodic
 - protection, 78, 94
- safer design, 13, 146
- safety, 1, 10, 12, 14–15, 18,
 - 20–21, 77, 100, 115, 126, 129, 146–47, 152, 154–55,

- software, 28, 52, 56, 82–85, 88,
93, 101, 131, 134–36, 151,
191
- solid, 20, 23–25, 28
- Solid Flame Model. *See* SFM
- specimen, 52–54, 57–58, 60–
61, 63–67, 69–73, 149, 151,
176
- speed, 48, 56–58, 62–63, 125,
130, 133, 136–41
- stable, 27–28, 51, 131, 135
- stagnation, 25, 31, 38, 191
- standard, 10, 13, 15, 78, 145,
155, 165–66, 174, 183, 185
- static, 52, 55, 57, 62–72
- statistical, 83, 85–87
- stearamide, 50, 54
- stearic acid, 50
- steering committee, 16
- stochastic, 25, 79, 85, 89, 91,
93
- strain, 14
- stream, 24–26, 29, 36–37, 40–
43, 81
- streamline, 25, 35–36
- strength, 60, 61, 77, 100
- stress, 14, 57, 58, 63, 67, 100
- structural, 13, 14, 22
- substation, 145–47, 165
- substrate, 79, 81, 93
- sulfate, 59–60, 76–78
ion, 59–60
- surface, 24–25, 35, 48, 50, 52–
58, 60–61, 63–67, 69–73,
77, 79, 81, 92, 95–96, 102–
04, 108, 110–11, 149, 151,
154, 164, 200
- Suruhanjaya Tenaga, 2, 4–9,
19
- tank, 14, 81, 101, 104, 131–32,
134, 136, 138–41
- technical, 15, 73
- tee-junction, 23–24, 26–30,
33–40, 42, 43
- temperature, 30, 40, 48, 53–54,
56, 63, 65, 74, 79, 100, 102,
106–07, 109–10, 117–18,
122, 125, 134, 150–51, 154–
55, 174, 177–79, 202
- tensile modulus, 100
- TGA, 148, 172, 178, 180
- thermal, 100, 103, 106, 108–
10, 112, 118, 137, 139, 141,
148, 179
- thermogravimetric analysis. *See*
TGA
- thickener, 80
- thickness, 27, 31, 32, 100, 112,
150
- threat, 11, 54, 115, 131, 135–
39, 141, 169
- toluene, 4
- toxic, 115–16, 131–32, 143,
145–46, 148, 151–52, 155–
61, 163, 165–66, 169–71,
178–79, 181, 183–85

- toxicity, 146, 157, 159–61, 166,
169–71, 181, 183–84, 186–
87
- trajectory, 24, 28, 190–91,
194–01
- trajectory flame length, 190
- transfer, 54, 57, 79, 96, 100–
07, 109–10, 112–13, 155,
178, 198
- transformer, 145
- transient, 27
- transition, 56, 58
- transitional, 57
- transmission, 77
- transport, 4, 153, 163
- transportation, 4, 23, 127, 129
- turbulence, 27, 29, 130
- turbulent, 27–28, 56–58, 67–
72, 130, 136
- two factor interaction, 83, 87

- uncertainty, 14, 79, 84, 88, 96
- underground, 14, 73, 96
- unhealthy, 11
- unreliability, 79
- unsafe, 11–12
- upstream, 23
- utilities, 12

- validity, 152, 191
- vapourisation, 100–02, 104,
106–13, 118
- variability, 79

- variable, 80, 82–84, 86, 88–89,
91, 99–00, 106, 135
- velocity, 24–27, 29, 31, 36–37,
40–43, 56–58, 63, 72, 75,
100, 117, 139, 194
- ventilation, 123, 147, 151, 169–
70, 175
- vertical shaft, 117, 119
- vessel, 14, 99–00, 104, 192
- volatile, 115, 145, 172–73,
178–79
- voltage, 81, 150
- volume, 25, 79, 81, 96, 104,
107–10, 136, 190–91, 198

- wastewater, 79–84, 88–89, 92–
94
- water, 12, 24–25, 35, 41, 47,
52, 54, 74, 75, 80–81, 111–
13, 148, 162
- welfare, 10
- wetted area, 104, 107, 109
- wetted surface, 110
- winsor type, 53
- withdrawal, 100–01
- wustite, 64

- XLPE, 145, 155, 165, 166

